

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 November 2010

(For the Period 1 November 2010 to 14 November 2010)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-32099B	Cartridge, Impulse, CCU-145/A [CUST: OS]	A	1377		OS	21-JUN-2010
M	MIL-DTL-62049G	Semitrailer, Van: for Installation of Special Equipment, Military Design [CUST: AT 99] [REVIEW: 84]	A	2330		AT	08-NOV-2010
M	MIL-DTL-50085F	Precleaner, Air Purifier, M1A1 [CUST: EA]	X	4240		EA	04-NOV-2010
M	QPL-25579-55	Hose Assembly, Polytetrafluorethylene, High Temperature, Medium Pressure, General Specification for	A	4720		CC	05-NOV-2010
M	MS28105D NOT 1	Cover Glass, Aircraft Instrument Dial [CUST: GL AS 11] [REVIEW: 84]	A	5355		IS	09-NOV-2010
M	QPL-55342-112	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, General Specification For	A	5905		CR	01-NOV-2010
M	MIL-PRF-39014/20E NOT 1	Capacitors, Fixed, Ceramic Dielectric (General Purpose), Established Reliability, Style CKR08 [CUST: CR EC 85 CC] [REVIEW: AS MC OS SH TD]	A	5910		CC	01-NOV-2010
M	MIL-PRF-8805/55J	Switch, Push, Microphone, DPST, Normally Open, Foot Operated, Momentary, Unsealed and Watertight [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC	03-NOV-2010
N	QPL-AS55941 NOT 1	Switches, Toggle, Electrically Held, Sealed, General Specification for	A	5930		AS	09-NOV-2010
M	MIL-DTL-28840C(1)	Connectors, Electrical, Circular, Threaded, High Density, High Shock, Shipboard, Class D, General Specification for [CUST: AT EC CC] [REVIEW: OS SH YD]	A	5935		CC	05-NOV-2010
M	MS18173A NOT 3	Washer, Flat [CUST: CR EC 85 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI OS SH]	A	5935		CC	03-NOV-2010
N	QPL-AS81582 NOT 1	Connectors, Electrical, Bayonet Coupling, Environmental Resisting, Umbilical, General Specification for		5935		AS	09-NOV-2010
M	MIL-PRF-19500/698D	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Events Effects) Transistor, N-Channel, Silicon Types 2N7470T1 and 2N7471T1, JANTXVR, F, G, and H and JANSR, F, G, and H [CUST: CR EC 85 CC NA] [REVIEW: 71 99 AV MI]	A	5961		CC	01-NOV-2010
M	MIL-M-38510/653B NOT 1	Microcircuits, Digital, High Speed, CMOS Flip-Flops, Monolithic Silicon, Positive Logic [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	01-NOV-2010
M	A-A-56023B	Insulating Compound, Electrical, Silicone Rubber, Room Temperature Vulcanizing [CUST: MI GS] [REVIEW: CR4 MD MR]	A	5970	/	GS4	05-NOV-2010
M	A-A-59163A	Insulation Tape, Electrical, Self-Adhering Unsupported Silicone Rubber [CUST: MI 85 GS] [REVIEW: 99]	A	5970	/	GS4	05-NOV-2010
M	A-A-59590/13B	Holder, Electrical Card, Wedge Retainers, 3 Piece, Screw Actuated Drive, .375 X .375 Inch Body Size [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	13-NOV-2010
M	QPL-24643-28 NOT 1	Cables and Cords, Electric, Low Smoke, For Shipboard Use, General Specification for (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	6145		SH	04-NOV-2010
N	MIL-DTL-32361	Composite Light, Tail Stop, Turn and Marker [CUST: AT GS] [REVIEW: CR4]	A	6220		GS2	05-NOV-2010
M	A-A-1441B NOT 2	Disinfectant, General Purpose (Quaternary Ammonium Compound) [CUST: MD1 SH 68 GS3] [REVIEW: AS]	A	6840	/	GS3	09-NOV-2010
M	QPL-23653-31 NOT 1	Plastic Tiles, Vibration Damping (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	9330		SH	09-NOV-2010
M	SD-18 NOT 3	Program Guide for Parts Requirements and Application	A	STDZ		SO	09-NOV-2010
M	SD-22	Diminishing Manufacturing Sources and Material Shortages [CUST: SO]	A	STDZ		SO	01-SEP-2010

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MS26577C NOT 1	Gasket, Airport Marker Light Base [CUST: CR4 AS 99 IS] [REVIEW: CG SA]	A	5330	IS		09-NOV-2010
M	MS28782E NOT 1	Retainer, Packing, Back-up, Teflon [CUST: AV AS 99 IS] [REVIEW: AR CR4 MC MI SA]	A	5330	IS		09-NOV-2010
M	MIL-M-38510/29C NOT 3	Microcircuits, Digital, TTL, Low Power Decoders, Monolithic Silicon [CUST: CR EC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		01-NOV-2010
M	MIL-M-38510/31A NOT 4	Microcircuits, Digital, DTL, NAND Buffer/Extender, Monolithic Silicon [CUST: CR EC CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		01-NOV-2010
M	MIL-M-38510/40B NOT 1	Microcircuits, Digital, TTL, High Speed, and-or-Invert Gates, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		01-NOV-2010
M	MIL-M-38510/42C NOT 4	Microcircuits, Digital, TTL, Low Power, Monostable Multivibrators, Monolithic Silicon [CUST: CR EC CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		01-NOV-2010
M	MIL-M-38510/44B NOT 4	Microcircuits, Digital, TTL, Low Power, Comparators, Monolithic Silicon [CUST: CR EC CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		01-NOV-2010
M	MIL-M-38510/101K NOT 1	Microcircuits, Linear, Operational Amplifier, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		01-NOV-2010
M	MIL-M-38510/105A NOT 1	Microcircuits, Linear, CMOS, High Level Analog Switch with Driver, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		09-NOV-2010
M	MIL-M-38510/120B NOT 3	Microcircuits, Linear, Hybrid, 12 Bit Analog-to-Digital Converters [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		01-NOV-2010
M	MIL-M-38510/127A(1) NOT 4	Microcircuits, Linear, CMOS Multiplying D/A Converters, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		01-NOV-2010
M	MIL-M-38510/137A NOT 4	Microcircuits, Linear, Voltage Output 12-Bit Digital-To-Analog Converters, Hybrid and Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		01-NOV-2010
M	MIL-M-38510/149 NOT 4	Microcircuits, Linear, Precision Timers, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		01-NOV-2010
M	MIL-M-38510/158A NOT 3	Microcircuits, Digital, TTL, Decoders, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		09-NOV-2010
M	MIL-M-38510/159B NOT 3	Microcircuits, Digital, TTL, Shift Registers, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		09-NOV-2010
M	MIL-M-38510/162A NOT 3	Microcircuits, Digital, TTL, NOR Buffers, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		09-NOV-2010
M	MIL-M-38510/224(2) NOT 4	Microcircuits, Memory, Digital, MOS, 32K X 8, Ultraviolet Erasable Programmable Read-Only Memory (EPROM) Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		09-NOV-2010
M	MIL-M-38510/227 NOT 4	Microcircuits, Digital, NMOS, 16,384 BIT, Electrically Erasable, Programmable Read-Only MEMORY (EEPROM), Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		09-NOV-2010
M	MIL-M-38510/230A NOT 4	Microcircuit, Digital, Bipolar 256 Bit Random Access Memory (RAM) Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		09-NOV-2010
M	MIL-M-38510/244B(2) NOT 4	Microcircuits, Digital, NMOS, 65,536 BIT, Dynamic Random Access Memory (DRAM), Monolithic Silicon [CUST: 85 CC] [REVIEW: 03 19 99]	A	5962	CC		09-NOV-2010
M	MIL-M-38510/246(1) NOT 4	Microcircuits, Memory, Digital, NMOS, 246,144-Bit Dynamic Random Access Memory (DRAM), Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		09-NOV-2010
M	MIL-M-38510/289A NOT 1	Microcircuits, Digital, CMOS 4096 Bit Static Random Access Memory (RAM) Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		09-NOV-2010
M	MIL-DTL-25308C	Gage, Pressure, Dial Indicating, Hydraulic, Type ME-1 [CUST: AV AS 99 GS] [REVIEW: 71 MI]	A	6685	GS1		01-NOV-2010
M	MIL-STD-188-105(2) NOT 1	Interoperability and Performance Standard for the All-Digital Tactical-to-Strategic Gateway [CUST: CR EC 13 NS] [REVIEW: 19 93 AM MC PT]	A	TCSS	DC1		08-NOV-2010

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MS87007B NOT 2	Swivel, Eye and Link (S/S by RR-C-271) [CUST: AR CC]	A	4030	CC		08-NOV-2010
M	ASTM-D2027	Asphalt, Cutback (Medium-Curing Type) (See Withdrawal Notice for Replacement Information) [CUST: CR4 YD IS]	A	5610	IS		10-NOV-2010
M	ASTM-D2028	Asphalt, Cutback (Rapid-Curing Type) (See Withdrawal Notice for Replacement Information) [CUST: CR4 YD IS]	A	5610	IS		10-NOV-2010
M	ASTM-E518	Masonry, Flexural Bond, Strength of (See Withdrawal Notice for Replacement Information) [CUST: CR4 YD 99 IS]	A	5620	IS		10-NOV-2010
M	ASTM-E519	Masonry Assemblages, Diagonal Tension (Shear) in (See Withdrawal Notice for Replacement Information) [CUST: CR4 YD 99 IS]	A	5620	IS		10-NOV-2010
M	ASTM-D3462	Asphalt Shingles Made from Glass Felt and Surfaced with Mineral Granules (See Withdrawal Notice for Replacement Information) [CUST: CR4 YD 99] [REVIEW: MC]	A	5650	IS		10-NOV-2010
M	QPL-5594-12 NOT 2	Switches, Toggle, Electrically Held Sealed, General Specification for (S/S by QPL-AS55941)	A	5930	AS		09-NOV-2010
M	QPL-81582-3 NOT 2	Connectors, Electrical, Bayonet Coupling, Environmental Resisting, Umbilical, General Specification for (S/S by QPL-AS81582)	A	5935	AS		09-NOV-2010
M	MIL-B-18/3D NOT 4	Battery, Dry, BA-8 (No S/S Document) [CUST: CR SH 99 CC] [REVIEW: MC MI SA]	A	6135	CC		20-OCT-2010
M	MIL-B-18/5C NOT 4	Battery, Dry, BA-23 (No S/S Document) [CUST: SH 99 CC] [REVIEW: CR4 MC MI YD]	A	6135	CC		20-OCT-2010
M	MIL-B-18/8D NOT 3	Battery, Dry, BA-28 (No S/S Document) [CUST: CR SH 99 CC] [REVIEW: MC]	A	6135	CC		20-OCT-2010
M	MS52125B(1) NOT 1	Composite Light, Tail Stop, Turn and Marker (S/S by Mil-DTL-32361) [CUST: AT GS] [REVIEW: CR4]	A	6220	GS2		05-NOV-2010
M	ASTM-D685	Paper and Paper Products for Testing, Conditioning (No S/S Document) [CUST: MR SH 11 IS] [REVIEW: AS AT AV CR4 GL YD]	A	9320	IS		10-NOV-2010
M	SAE-AMS-QQ-A-250/24	Aluminum Alloy, 7075, Plate and Sheet (Improved Exfoliation Resistant) (See Notice for Replacement Information) [CUST: MR AS 11 IS]	A	9535	IS		10-NOV-2010
M	SAE-AMS-QQ-A-250/25	Aluminum Alloy, Alclad 7075 Plate and Sheet Improved Exfoliation Resistant (See Withdrawal Notice for Replacement Information) [CUST: MR AS 11 IS]	A	9535	IS		10-NOV-2010